

Features and Benefits

 <p>UNMATCHED COMFORT</p>	<ul style="list-style-type: none"> ✓ Compact design, light weight materials, and ride height adjustments, all contribute to an optimal weight distribution ✓ Optional dual ventilation shell pattern on top and sides for comfort during extended periods of use ✓ Innovative one-piece padding in soft-goods (welded instead of sewed) to help prevent pressure points
 <p>VERSATILE APPLICATIONS</p>	<ul style="list-style-type: none"> ✓ Multi-purpose helmet for Technical Rescue, Wildland Firefighting, Climbing and Water Rescue Operations
 <p>FULL MODULARITY</p>	<ul style="list-style-type: none"> ✓ Modular platform with a range of easily attachable accessories, such as responder goggles, face protection, and passive and active hearing protection with optional integrated communication system
 <p>ACCESSORY INTEGRATION</p>	<ul style="list-style-type: none"> ✓ Accessories designed for full integration; e.g. dual beam headlamp with tail light (“buddy light”), adjustable internal ocular visor, and water rescue ear protection
 <p>CUSTOMER FOCUSED DESIGN</p>	<ul style="list-style-type: none"> ✓ All integrated and modular accessories are designed for easy attachment ✓ Glove-friendly design of all accessories and helmet adjustment points for both right and left handed users
 <p>EASY CLEANABILITY</p>	<ul style="list-style-type: none"> ✓ Easy to remove one-piece textile soft-goods to support health and safety efforts ✓ Complete helmet machine-washable (see Cleaning Guidelines for details)
 <p>CUSTOMISABLE OPTIONS</p>	<ul style="list-style-type: none"> ✓ Pad printing available for front plates to add fire department logo or other designs ✓ Reflective trim and decals with custom printing options
 <p>EXCEEDING STANDARDS</p>	<ul style="list-style-type: none"> ✓ Designed and tested to meet the latest EU and NFPA Standards for Technical Rescue, Wildland Firefighting, Climbing and Water Rescue (see Technical Specifications for details)



Focus on Innovation

INTEGRATED DUAL-BEAM HEADLAMP

- ✔ Allows proximity and spot beam with over 250 lumens



- ✔ Tail light (“buddy light”), with three colors available to toggle, and aid in accountability
- ✔ “SOS” mode that flashes front and rear lights to signal a distress



INTEGRATED OCULAR VISOR

- ✔ Fully integrated into the helmet shell and easily deployed with a gloved hand
- ✔ Customised fit to face with individual height and depth adjustments
- ✔ Easy to install and remove without tools (“push & pull” system)

WATER RESCUE EAR PROTECTION

- ✔ Left and right modular ear protection covers for water rescue applications
- ✔ Easy attachment points for connecting and removal depending on task and situation



INTEGRATED HEARING PROTECTION WITH OPTIONAL COMMUNICATION SYSTEMS

- ✔ Easily attachable, perfectly integrated electronic ear muffs to protect from hazardous noise without missing surrounding sounds
- ✔ Optional communication systems with adjustable boom microphone for mission critical communications






IMPROVED RESPONDER GOGGLES

- ✔ Quickly attaches to helmet shell with two clips only
- ✔ Keep goggle strap secure with magnetic adjustment system
- ✔ Accommodates multiple head sizes with adjustable buckle system
- ✔ Easily switch between stand-by and in-service mode with release buckle



Technical Specifications

Helmet	
Weight (helmet only)	750g ± 50g (depending on version)
Dimensions (shell)	Length: 299 mm Width: 239 mm Height: 180 mm
Sizes	One size (fits head sizes from 52 to 65 cm)
Shell	<input checked="" type="checkbox"/> Vented or unvented <input checked="" type="checkbox"/> Painted
Colours	Standard: White, Black, Green, Blue, Yellow, Red, Grey High Visibility: Hi-Viz / Photoluminescent Yellow, Hi-Viz / Photoluminescent Orange, Photoluminescent
Chinstrap	<input checked="" type="checkbox"/> 3-4 points chinstrap <input checked="" type="checkbox"/> 16 mm wide fire-retardant strap without loose end <input checked="" type="checkbox"/> Height and depth adjustments <input checked="" type="checkbox"/> Quick release buckle
Adjustments	<input checked="" type="checkbox"/> Head size (ergonomic knob wheel, adjustable position) <input checked="" type="checkbox"/> Ride height (3 positions) <input checked="" type="checkbox"/> Nape strap height adjustment (3 positions)
Materials	Shell and plastic parts: High temperature thermoplastics Straps: Fire retardant, modacrylic and polyester blend Paddings: Polyamide / Polyester / Elastane base material
Certification	CE Marking according to EU regulation 2016/425 (March 9th, 2016) EN 16471:2015 – Helmets for Wildland Firefighting EN 16473:2015 – Helmets for Technical Rescue EN 12492:2012 – Helmets for Mountaineers (vented version only)
Customisation	<input checked="" type="checkbox"/> Retroreflective stickers (yellow, red, silver, blue, green) with or without marking <input checked="" type="checkbox"/> Pad printed logo on front plate

Options and Accessories		
Responder Goggles	<ul style="list-style-type: none"> ✓ Dustproof ✓ Attachment to helmet with 2 clips ✓ Tension adjustment through fire retardant straps ✓ Magnetic strap adjustment system 	
Weight	165 g ± 10 g	
Certification	EN 166:2002 – Eye Protection Marking: 2C-1,2 1BT 3459 KN	
Performances	2C-1,2: UV filter (EN 170) 1: Optical class 1 BT: High speed particles (120m/s) at extreme temperatures 3: Liquid droplets 4: Dust 5: Gas and fine dust particles 9: Molten metal K: Anti-scratch N: Antifog	
Ocular Visor	<ul style="list-style-type: none"> ✓ Retractable under helmet shell ✓ Depth adjustment ✓ Quick installation 	
Weight	100g ± 10g	
Certification	EN 14458:2018 – High Performance Visors	
Performances	Antifog / Anti-scratch 2C-1.2 : UV filter (EN 170)	
Neck Protector	<ul style="list-style-type: none"> ✓ Colour: Dark Blue ✓ 100% Aramid ✓ Nape version, length 15 cm ✓ Quick assembly through 3 plastic clips 	
Weight	30 g ± 5 g	
Water Rescue Kit	<ul style="list-style-type: none"> ✓ Ear protection side panels to extend area of coverage according to EN 1385 requirements 	
Weight	50 g ± 10 g	
Compliance	EN 1385:2012 – Water Sport Helmets PAS028-2002 – Marine Safety Helmets, section 6: performances ➔ Compliant on both non-motorized and motorized rescue crafts	
Lamp Mounting Bracket	<ul style="list-style-type: none"> ✓ Easy attachment of torch lamps with approved bracket ✓ Left and right mounting options 	
Weight	15 g ± 10 g	
Compatibility	All MSA helmet mounted torches (XPS, XP LED, ...)	

Hearing Protection	<ul style="list-style-type: none"> ✓ Passive hearing protection ✓ Low (green) and medium (yellow) noise attenuation 	
Dimensions & Weight	Low attenuation: 16.4 x 10.6 x 12.0 cm – 340 g Medium attenuation: 16.4 x 10.6 x 12.0 cm – 403 g	
SNR Ratings	Low attenuation: SNR 28 dB Medium attenuation: SNR 32 dB	
Certification	EN 352-3:2002 – Hearing Protectors ANSI S3.19-1974 ANSI S12.6-2008 AS/NZ S1270:2002 CSA Class A	
Non-ATEX Headlamp	<ul style="list-style-type: none"> ✓ Integrated LED headlamp module ✓ 2 beams (proximity and spot) ✓ Tail light (3 colours, RGB) 	<div style="background-color: green; color: white; padding: 5px; transform: rotate(-2deg); display: inline-block;"> Available in 3rd Quarter 2021 </div>
Weight	Front module with LEDs: 90 g ± 5 g Rear AA Battery pack (with 3xAA batteries): 210 g ± 10 g	
Certification	CE marking	
Power	Alkaline/Lithium disposable or rechargeable batteries (Ni-MH)	
Performance <small>(autonomy varies according to battery type)</small>	Proximity: 100 lumens, minimum 6h Spot: 150 lumens, minimum 4h Combined: 250 lumens, minimum 1h30 Reserve mode: 30 lumens, > 45 mins SOS mode: Flashing (spot beam + tail light)	

Other Accessories

Available in 3 rd Quarter 2021			Available in 4 th Quarter 2021
Active Hearing Protection with & without communication	Clear Face Protection	Mesh Face Protection	Headlamp Alkaline ATEX / Li-Ion ATEX & Non-ATEX
<p><small>Picture doesn't show correct configuration.</small></p>			

Ordering Information GALLET F2XR

The GALLET F2XR uses an Assembly-to-Order (ATO) part numbering system for an optimal selection of the best suited configuration.

1	Helmet Type
R	GALLET F2XR, EN
2	Shell
1	Vented, painted
2	Non vented, painted
3	Vented, mass tinted*
4	Non vented mass tinted*
3	Interior
★ 1	Standard, textile
4	Eye Protection
0	None
1	Responder Goggles EN 166
★ 2	Ocular Visor, EN 14458
3	Ocular Visor and Responder Goggles
5	Neck Curtain
0	None
1	Textile nape (Aramid)
6	Headlamp Options
0	None
★ 1	Headlamp, 3xAA*
★ 2	Headlamp, 3xAA, ATEX**
★ 3	Headlamp, Li-Ion**
★ 4	Headlamp, Li-Ion, ATEX**
7	Instructions & Traceability
1	Instruction 1 (EN, FR, DE, ES, NL, BR)
2	Instruction 2 (IT, GR, SE, CZ, HR, HU, PL, RS, RU, SK, SI)
B	Instruction 1 + Custom label
C	Instruction 1 + Custom RFID
D	Instruction 1 + French Sécurité Civile Label
Z	Instruction 2 + RFID (13,56 MHz)
Y	Instruction 2 + Custom label
X	Instruction 2 + Custom RFID
8	Retroreflective Trims (5 pcs. each)
0	None
1	Grey, Textile
2	Yellow, Textile
3	Red, Textile
4	Blue, Vinyl
5	Green, Vinyl
★ A	Grey / Silver, Microprism
★ B	Yellow, Microprism
★ C	Red, Microprism
★ D	Blue, Microprism
★ E	Green, Microprism

9	Option 1
0	None
★ 1	EN 1385 Water rescue kit
2	F2XR Lamp bracket, compatible L or R
3	F2XR Lamp bracket, compatible L or R, 2 pcs.
10	Option 2
0	None
★ 1	EN 1385 Water rescue kit
2	F2XR Lamp bracket, compatible L or R
3	F2XR Lamp bracket, compatible L or R, 2 pcs.
11	Packaging
0	Bulk packaging – 8 helmets per box
1	Bulk packaging with individual textile bag
2	Individual box
3	Individual box with textile bag
12	Shell Colour
RE	Red (painted)
JD	Yellow (painted)
BA	White (painted)
NA	Black (painted)
★ YP	Yellow, high visibility / photoluminescent (painted)
★ OP	Orange, high visibility / photoluminescent (painted)
VF	Photoluminescent (painted)
IM	Blue (painted)
VA	Green (painted)
NM	Grey (painted)
RD	Red (mass tinted)*
BD	White (mass tinted)*
JA	Yellow (mass tinted)*
ND	Black (mass tinted)*
OA	Orange (mass tinted)*
13	Customisation
000	No Front plate (only if headlamp)
001	Plain black front plate (no headlamp)
★ ZZZ	Pad printed logo on front plate

* available in 3rd quarter 2021

** available in 4th quarter 2021

★ INNOVATION / New Feature

Your Configuration and Part Number:

G													-		
	1	2	3	4	5	6	7	8	9	10	11			12	13

Please note: Hearing Protection, Face Protection and Neck Curtains need to be ordered separately as accessory. See next page for details.

Ordering Information for Main Applications

Part Number	Description
Technical Rescue Configurations	
GR1120010003-RE001	GALLET F2XR, red (painted), vented, ocular visor
GR1120010003-YP001	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, ocular visor
GR1120010003-OP001	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, ocular visor
Wildland Firefighting Configurations	
GR1110000003-YP001	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, Responder goggles
GR1110000003-OP001	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, Responder goggles
GR1110000003-JD001	GALLET F2XR, yellow (painted), vented, Responder goggles
Water Rescue Configurations	
GR1120001103-YP001	GALLET F2XR, hi-viz/photoluminescent yellow (painted), vented, ocular visor, EN1385 water rescue kit
GR1120001103-OP001	GALLET F2XR, hi-viz/photoluminescent orange (painted), vented, ocular visor, EN1385 water rescue kit
GR1120001103-BA001	GALLET F2XR, white (painted), vented, ocular visor, EN1385 water rescue kit

All configurations listed above come in an individual box with textile bag.

Ordering Information Accessories

Part Number	Description
Stickers (Set of 5 pcs.)	
GA3719-06	Retro reflective stickers, Textile, Grey
GA3719-05	Retro reflective stickers, Textile, Yellow
GA3719-07	Retro reflective stickers, Textile, Red
GA3719-08	Retro reflective stickers, Vinyl, Blue
GA3719-09	Retro reflective stickers, Vinyl, Green
GA3719-00	Retro reflective stickers, Microprism, Grey
GA3719-01	Retro reflective stickers, Microprism, Yellow
GA3719-02	Retro reflective stickers, Microprism, Red
GA3719-03	Retro reflective stickers, Microprism, Blue
GA3719-04	Retro reflective stickers, Microprism, Green
Eye, Face and Ear Protection	
GA3705	Responder goggles
GA3723	Responder goggles protective cover
GA3702	Ocular visor assembly
GA3703*	Mesh visor assembly EN 14458 & EN 1731
GA3704*	Clear visor assembly EN 14458 & EN 166
GA3701	Water rescue lateral protection panel, left and right
GA3708	Transportation bag
GA3709	Nape neck curtain
Lamps	
GA3710	Lamp bracket for torch lamps
GA3724**	L2XR headlamp, 3AA batteries, ATEX
GA3725*	L2XR headlamp, 3AA batteries, Non-ATEX
GA3726**	L2XR headlamp, Li-ion batteries, ATEX
GA3727**	L2XR headlamp, Li-ion batteries, Non-ATEX

Hearing Protection	
10190356	MSA passive hearing protection, Low
10190357	MSA passive hearing protection, Medium
GA3720*	Supreme active hearing protection
GA3721*	Supreme active hearing protection with boom microphone
1011823*	left/RIGHT CutOff Pro, Yellow
1011826*	left/RIGHT CutOff Pro, Blue

* available in 3rd quarter 2021

** available in 4th quarter 2021

For Spare Parts Ordering Information, please refer to the Instruction Manual.